



DEEPSTONE  
STONE'S CORE UNVEILED

**NovaBell**  
CERAMICHE



DEEPSTONE  
STONE'S CORE UNVEILED





# UNIQUE STONE MERGING INTO AN UNPRECEDENTED CREATION.

## COLOUR RANGE



## DEEPSTONE

Deepstone forms an original blend of minerals: a stone effect with carefully calibrated patterning and colour, where the dark shades of slates from Liguria meet the warm hues of those from Brazil, characterised by multicolour graduated tones with an organic, natural air.



# DEEPSTONE

## A TASTEFUL STONE LOOK WITH AN IMMACULATE PERSONALITY.

The six Deepstone shades provide the collection's underlying harmony: a fusion of Ligurian and Brazilian slates that embraces all the stones' mottling, vein patterns and neutral colouring, embodying the aesthetic values of the most severe, immaculate contemporary architecture.



# DEEPSTONE



# DEEP TECH TECHNOLOGY AT THE SERVICE OF BEAUTY AND PERFORMANCE.

An elegant, authentic aesthetic achieved with Deep Tech, an innovative decorative technology that creates three-dimensional effects that match the vein patterns and emphasises them with gleaming applications. A stone effect strongly natural in its powerful look and feel.






# DEEP TECH SEDUCTIVE ULTRA MATT SUPER REALISTIC SURFACES.

The breathtaking realism achieved by the Deep Tech technology is enhanced by the seductively matt surfaces, another milestone from NovaBell's intensive research into glazes, raw materials and production processes. What's more, the extremely soft-touch feel of the natural finish reveals a high degree of slip resistance.





A close-up photograph of a decorative module featuring a series of parallel, slightly irregular ridges or ribs. The texture is tactile and three-dimensional, with light and shadow emphasizing the depth of the ridges. The color is a warm, off-white or light beige.

A DECORATIVE MODULE  
WITH EXQUISITE TACTILE  
RELIEF.

A photograph of a modern bathroom interior. The walls are covered in a large-format mosaic tile with a 3D 'Peak & Wand' pattern, which consists of vertical ridges. The tiles are a warm, earthy tone. In the foreground, a white, freestanding bathtub is partially visible, with a white towel draped over its edge. A black, minimalist faucet stands behind the tub. The lighting is soft and even, highlighting the texture of the wall.


### 3D PEAK & WAND MOSAIC

The 3D decorative structure is another example of the extraordinary level of realism this collection achieves. The texture of the patterning mirrors the ribbed motif to enhance the perceived three-dimensionality.






# DESIGN WITHOUT LIMITS.



120x278  
48"x109½"  
6 mm thickness



6 mm



Lunar



Sand



Iron



Graphite

Oversize combines its exceptional dimensions with extreme thinness. It leaves the concept of the ceramic tile behind, progressing to that of surfaces with dimensions which reveal all the beauty of the stone effect.



# “A SPACCO”: THE REVOLUTIONARY RELIEF TECHNOLOGY ON 6 MM THICK SLABS.

TRUE TECH  
SURFACE

Unlike most slimline large slabs, Oversize has noticeable relief effects inspired by the “split” finish typical of natural slate. The structure carved into the slab has a bevelled profile and subtle variation, creating a soft-touch surface.

**OVERSIZE**  
NATURAL TECH SURFACES





Wall: Taupe 3D Peak 60x120  
Floor: Lunar 120x120





Wall: Lunar 120x278x0,6 | Taupe 60x120 | Taupe 3D Peak 60x120  
Floor: Lunar 120x120

LUNAR  
TAUPE







20

Wall: Sand 120x278x0,6  
Floor: Sand 20MM 120x120x2  
Gradino Elle 20MM 30x120x6,5 | Gradino Angolo Elle 20MM DX/SX 30x120x6,5



21





Wall: Sand 120x278x0,6 | Taupe Copertina 20MM 30x120x2  
 Floor: Sand 20MM 120x120x2  
 Gradino Elle 20MM 30x120x6,5 | Gradino Angolo Elle 20MM DX/SX 30x120x6,5

SAND

DEEPSTONE





24

Wall: Sand 3D Peak 60x120 | Sand 120x278x0,6  
 Washbasin: Sand 120x278x0,6  
 Floor: Sand 120x120  
 Shower Tray 90x120x3,5: Sand



25



Wall: Sand 120x278x0,6 | Sand 3D Peak 60x120 | Taupe 120x120  
Washbasin: Sand 120x278x0,6  
Floor: Sand 120x120 | Taupe 120x120  
Shower Tray 90x120x3,5: Sand

SAND  
TAUPE



DEEPSTONE





Wall: Iron 120x278x0,6  
C Floor: Iron 120x120  
Floor out: Lunar 20MM 60x120x2

IRON  
LUNAR

DEEPSTONE





Wall: Oyster 120x120  
Floor: Graphite 120x120





OYSTER  
GRAPHITE

Wall: Oyster 120x120  
Floor: Graphite 120x120  
Counter - Furniture: GLOW Powder 120x278x0,6








120x278 - 48"x109½"  
**DPS LA14** Sand Rettificato



120x120 - 48"x48"  
**DPS 184R** Sand Rettificato



60x60 - 24"x24"  
**DPS 40RT** Sand Rett.



100x100 - 39"x39"  
**DPS 104R** Sand Rettificato




60x120 - 24"x48"  
**DPS 42RT** Sand Rettificato



60x120 - 24"x48"  
**DPS 45RT** 3D Peak Sand Rettificato

60x60 - 24"x24"  
**DPS 40AS** Sand Antislip Rett. **1065**


60x120 - 24"x48"  
**DPS 42AS** Sand Antislip Rettificato **1075**



30x30 - 12"x12"  
**DPS 447N** Slick Sand **3180**




120x120 - 48"x48"  
**DPS 412R** Sand 20 MM Rettificato



60x120 - 24"x48"  
**DPS 462R** Sand 20 MM Rett.



100x100 - 39"x39"  
**DPS 124R** Sand 20 MM Rettificato



60x60 - 24"x24"  
**DPS 460R** Sand 20 MM Rett.

OUT  
WALK  
20MM



120x120 - 48"x48"  
**DPS 185R** Taupe Rettificato




60x60 - 24"x24"  
**DPS 50RT** Taupe Rett.



60x120 - 24"x48"  
**DPS 52RT** Taupe Rettificato



60x120 - 24"x48"  
**DPS 55RT** 3D Peak Taupe Rettificato



30x30 - 12"x12"  
**DPS 557N** Slick Taupe **3180**




60x120 - 24"x48"  
**DPS 562R** Taupe 20 MM Rett.



60x60 - 24"x24"  
**DPS 560R** Taupe 20 MM Rett.

OUT  
WALK  
20MM






120x278 - 48"x109"½  
**DPS LA18** Lunar Rettificato 




120x120 - 48"x48"  
**DPS 188R** Lunar Rettificato 



60x120 - 24"x48"  
**DPS 82RT** Lunar Rettificato 



60x120 - 24"x48"  
**DPS 85RT** 3D Peak Lunar Rettificato 



60x60 - 24"x24"  
**DPS 80RT** Lunar Rett. 



100x100 - 39"x39"  
**DPS 108R** Lunar Rettificato 



30x30 - 12"x12"  
**DPS 887N** Stick  
Lunar 

**TRUETECH  
SURFACE**

Le lastre 6 e 12 mm sono caratterizzate dalla tecnologia **Truetech Surface**, una soluzione innovativa che consente di ottenere rilievi superficiali avanzati, esaltando le peculiarità visive e tattili del materiale di ispirazione.

The 6 and 12 mm slabs are characterized by **Truetech Surface** technology, an innovative solution that enables advanced surface reliefs, enhancing the visual and tactile characteristics of the natural material used for inspiration.

Les dalles de 6 et 12 mm sont caractérisées par la technologie **Truetech Surface**, une solution innovante qui permet d'obtenir des reliefs de surface avancés, mettant en valeur les particularités visuelles et tactiles du matériel d'inspiration.


Die 6- und 12-mm-Platten zeichnen sich durch die **Truetech Surface**-Technologie aus, eine innovative Lösung, die fortschrittliche Oberflächenreliefs ermöglicht und die visuellen sowie haptischen Eigenschaften des inspirierenden Materials hervorhebt.



120x120 - 48"x48"  
**DPS 812R** Lunar 20 MM Rettificato 



60x120 - 24"x48"  
**DPS 862R** Lunar 20 MM Rett. 



60x60 - 24"x24"  
**DPS 860R** Lunar 20 MM Rett. 

**OUT  
WALK  
20MM**




120x278 - 48"x109"½  
**DPS LA11** Iron Rettificato 



120x120 - 48"x48"  
**DPS 181R** Iron Rettificato 



60x120 - 24"x48"  
**DPS 12RT** Iron Rettificato 



30x30 - 12"x12"  
**DPS 117N** Stick  
Iron 



60x60 - 24"x24"  
**DPS 10RT** Iron Rett. 



100x100 - 39"x39"  
**DPS 101R** Iron Rettificato 



60x60 - 24"x24"  
**DPS 10AS** Iron Antislip Rett. 



60x120 - 24"x48"  
**DPS 12AS** Iron Antislip Rettificato 



120x120 - 48"x48"  
**DPS 112R** Iron 20 MM Rett. 



60x120 - 24"x48"  
**DPS 162R** Iron 20 MM Rett. 



60x60 - 24"x24"  
**DPS 160R** Iron 20 MM Rett. 

**OUT  
WALK  
20MM**





120x120 - 48"x48"  
**DPS 182R** Oyster Rettificato

02  
1110



60x60 - 24"x24"  
**DPS 20RT** Oyster Rett.

03  
1065




100x100 - 39"x39"  
**DPS 102R** Oyster Rettificato

02  
1090



60x120 - 24"x48"  
**DPS 22RT** Oyster Rettificato

02  
1075



30x30 - 12"x12"  
**DPS 227N** Stick  
Oyster

10  
3180



162x324 - 63"x126"  
**DPS LA29** Graphite Non Rettificato

01  
2010



120x278 - 48"x109"<sup>1</sup>/<sub>2</sub>  
**DPS LA19** Graphite Rettificato

01  
1140




120x120 - 48"x48"  
**DPS 189R** Graphite Rettificato

02  
1110



60x120 - 24"x48"  
**DPS 92RT** Graphite Rettificato

02  
1075



30x30 - 12"x12"  
**DPS 997N** Stick  
Graphite

10  
3180



60x60 - 24"x24"  
**DPS 90RT** Graphite Rett.

03  
1065

OVERSIZE TOP 12MM  
Stuoia in fibra di vetro applicata sul retro. / Fibreglass mesh applied to the rear.  
Fillet en fibre de verre appliqué au dos. / Auf der Fliesenrückseite aneobrannte Glasfasermatte.



60x120 - 24"x48"  
**DPS 262R** Oyster 20 MM Rett.

01  
1125



100x100 - 39"x39"  
**DPS 122R** Oyster 20 MM Rettificato

01  
1135



60x60 - 24"x24"  
**DPS 260R** Oyster 20 MM Rett.

02  
1115

OUT  
WALK  
20MM

TRUETECH  
SURFACE

Le lastre 6 e 12 mm sono caratterizzate dalla tecnologia **Truetech Surface**, una soluzione innovativa che consente di ottenere rilievi superficiali avanzati, esaltando le peculiarità visive e tattili del materiale di ispirazione.

The 6 and 12 mm slabs are characterized by **Truetech Surface** technology, an innovative solution that enables advanced surface reliefs, enhancing the visual and tactile characteristics of the natural material used for inspiration.

Les dalles de 6 et 12 mm sont caractérisées par la technologie **Truetech Surface**, une solution innovante qui permet d'obtenir des reliefs de surface avancés, mettant en valeur les particularités visuelles et tactiles du matériel d'inspiration.

Die 6- und 12-mm-Platten zeichnen sich durch die **Truetech Surface**-Technologie aus, eine innovative Lösung, die fortschrittliche Oberflächenreliefs ermöglicht und die visuellen sowie haptischen Eigenschaften des inspirierenden Materials hervorhebt.



60x120 - 24"x48"  
**DPS 962R** Graphite  
20 MM Rettificato

01  
1125



60x60 - 24"x24"  
**DPS 960R** Graphite  
20 MM Rettificato

02  
1115

OUT  
WALK  
20MM



Collection Overview

| Thickness:                                                                                | 6 MM                                                                                                                     |      | 9 MM                                                                                                                   |      |                                                                                                                       |          |                                                                                                                               |          | 20 MM                                                                                                                  |          |                                                                                                                      |      |                                                                                                                        |      |                                                                                                                         |      |                                                                                                                          |      |                                                                                                                        |      |                                                                                       |      |                                                                                        |      |
|-------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|------|------------------------------------------------------------------------------------------------------------------------|------|-----------------------------------------------------------------------------------------------------------------------|----------|-------------------------------------------------------------------------------------------------------------------------------|----------|------------------------------------------------------------------------------------------------------------------------|----------|----------------------------------------------------------------------------------------------------------------------|------|------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------------------------------------------------------------------------------------------|------|--------------------------------------------------------------------------------------------------------------------------|------|------------------------------------------------------------------------------------------------------------------------|------|---------------------------------------------------------------------------------------|------|----------------------------------------------------------------------------------------|------|
|                                                                                           | <br>120x278<br>48"x109½"<br>rettificato |      | <br>120x120<br>48"x48"<br>rettificato |      | <br>60x120<br>24"x48"<br>rettificato |          | <br>3D Peak<br>60x120-24"x48"<br>rettificato |          | <br>100x100<br>39"x39"<br>rettificato |          | <br>60x60<br>24"x24"<br>rettificato |      | <br>120x120<br>48"x48"<br>rettificato |      | <br>60x120<br>24"x48"<br>rettificato |      | <br>100x100<br>39"x39"<br>rettificato |      | <br>60x60<br>24"x24"<br>rettificato |      |                                                                                       |      |                                                                                        |      |
|                                                                                           | Naturale                                                                                                                 |      | Naturale                                                                                                               |      | Naturale                                                                                                              | Antislip | Naturale                                                                                                                      | Naturale | Naturale                                                                                                               | Antislip |                                                                                                                      |      |                                                                                                                        |      |                                                                                                                         |      |                                                                                                                          |      |                                                                                                                        |      |                                                                                       |      |                                                                                        |      |
|                                                                                           | 01                                      | 1140 | 02                                    | 1110 | 02                                   | 1075     | 02                                           | 1075     | 02                                    | 1085     | 02                                  | 1090 | 03                                    | 1065 | 03                                     | 1065 | 01                                      | 1140 | 01                                    | 1125 | 01  | 1135 | 02  | 1115 |
|  Lunar    | DPS LA18                                                                                                                 |      | DPS 188R                                                                                                               |      | DPS 82RT*                                                                                                             |          | -                                                                                                                             |          | DPS 85RT                                                                                                               |          | DPS 108R                                                                                                             |      | DPS 80RT*                                                                                                              |      | -                                                                                                                       |      | DPS 812R                                                                                                                 |      | DPS 862R*                                                                                                              |      | -                                                                                     |      | DPS 860R*                                                                              |      |
|  Sand     | DPS LA14                                                                                                                 |      | DPS 184R                                                                                                               |      | DPS 42RT*                                                                                                             |          | DPS 42AS                                                                                                                      |          | DPS 45RT                                                                                                               |          | DPS 104R                                                                                                             |      | DPS 40RT*                                                                                                              |      | DPS 40AS                                                                                                                |      | DPS 412R                                                                                                                 |      | DPS 462R*                                                                                                              |      | DPS 124R                                                                              |      | DPS 460R*                                                                              |      |
|  Iron     | DPS LA11                                                                                                                 |      | DPS 181R                                                                                                               |      | DPS 12RT*                                                                                                             |          | DPS 12AS                                                                                                                      |          | -                                                                                                                      |          | DPS 101R                                                                                                             |      | DPS 10RT*                                                                                                              |      | DPS 10AS                                                                                                                |      | DPS 112R                                                                                                                 |      | DPS 162R*                                                                                                              |      | -                                                                                     |      | DPS 160R*                                                                              |      |
|  Taupe    | -                                                                                                                        |      | DPS 185R                                                                                                               |      | DPS 52RT*                                                                                                             |          | -                                                                                                                             |          | DPS 55RT                                                                                                               |          | -                                                                                                                    |      | DPS 50RT*                                                                                                              |      | -                                                                                                                       |      | -                                                                                                                        |      | DPS 562R*                                                                                                              |      | -                                                                                     |      | DPS 560R*                                                                              |      |
|  Oyster   | -                                                                                                                        |      | DPS 182R                                                                                                               |      | DPS 22RT*                                                                                                             |          | -                                                                                                                             |          | -                                                                                                                      |          | DPS 102R                                                                                                             |      | DPS 20RT*                                                                                                              |      | -                                                                                                                       |      | -                                                                                                                        |      | DPS 262R*                                                                                                              |      | DPS 122R                                                                              |      | DPS 260R*                                                                              |      |
|  Graphite | DPS LA19                                                                                                                 |      | DPS 189R                                                                                                               |      | DPS 92RT                                                                                                              |          | -                                                                                                                             |          | -                                                                                                                      |          | -                                                                                                                    |      | DPS 90RT                                                                                                               |      | -                                                                                                                       |      | -                                                                                                                        |      | DPS 962R                                                                                                               |      | -                                                                                     |      | DPS 960R                                                                               |      |



Packaging and weights

|                                               | pcs/box | m²/box | kg/box            | box/pallet | m²/pallet | kg/pallet |
|-----------------------------------------------|---------|--------|-------------------|------------|-----------|-----------|
| Thickness 6 MM                                |         |        |                   |            |           |           |
| 120x278*                                      | 1       | 3,336  | 47,0 - MAX WEIGHT | 18         | 60,048    | 846       |
| Thickness 9 MM                                |         |        |                   |            |           |           |
| 120x120                                       | 2       | 2,880  | 56,0 - MAX WEIGHT | 16         | 46,080    | 896       |
| 100x100                                       | 2       | 2,000  | 40,9 - MAX WEIGHT | 20         | 40,000    | 818       |
| 60x120                                        | 2       | 1,440  | 27,3 - MAX WEIGHT | 35         | 50,400    | 956       |
| 60x60                                         | 3       | 1,080  | 20,0              | 48         | 51,840    | 960       |
| OutWalk 20 <sup>20 MM</sup> - Thickness 20 MM |         |        |                   |            |           |           |
| 120x120                                       | 1       | 1,440  | 62,0 - MAX WEIGHT | 16         | 23,040    | 992       |
| 100x100                                       | 1       | 1,000  | 43,0 - MAX WEIGHT | 21         | 21,000    | 903       |
| 60x120                                        | 1       | 0,720  | 31,4 - MAX WEIGHT | 33         | 23,760    | 1036      |
| 60x60                                         | 2       | 0,720  | 31,0 - MAX WEIGHT | 32         | 23,040    | 992       |

\*Cassa/Crate 1200x2780: Dimensione/ Dimension: 1400x2890x280 HT - Peso/Weight: 105 kg - Pezzi/Pieces: 18 (120x278 - 60,048 m²)  
\*\*Cavalletto/Rock Pallet 1620x3240: Dimensione/ Dimension: 3300x750x1970 HT - Peso/Weight: 170 kg - Pezzi/Pieces: 20 (162x324 - 105 m²)

Special Coordinated Pieces On Demand

| DESCRIZIONE                                                                                                               | FP                                                                                        | CODICE<br>GENERICO | DESCRIZIONE                                                                                                                     | FP                                                                                       | CODICE<br>GENERICO | DESCRIZIONE                                                                                                               | FP                                                                                        | CODICE<br>GENERICO | DESCRIZIONE                                                                                                                 | FP                                                                                        | CODICE<br>GENERICO |
|---------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|--------------------|---------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|--------------------|---------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|--------------------|-----------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|--------------------|
|  Gradino Monografico 1<br>33x120       | 01     | DPS M121           |  Gradino L17<br>30x120x17                    | 01    | DPS L1217          |  Toro Gradino<br>Smaltato 30x120       | 01     | DPS TS120          |  Toro Gradino<br>30x120                  | 01     | DPS T120           |
|  Gradino Monografico 2<br>DX/SX 33x120 | 01     | DPS M122           |  Angolo L17 SX/DX<br>30x120x17               | 1+1   | DPS LA27           |  Toro Angolo SX/DX<br>Smaltato 30x120  | 1+1    | DPS TSA12          |  Toro Angolo SX/DX<br>30x120             | 1+1    | DPS TA12           |
|  Gradino Monografico 3<br>33x120       | 01     | DPS M123           |  Gradino Costa Retta<br>30x120               | 01    | DPS R121           |  Toro Gradino<br>Smaltato 32x100       | 01     | DPS TS102          |  Toro Gradino<br>32x100                  | 01     | DPS T102           |
|  Angolo Monografico<br>SX/DX 33x120   | 1+1   | DPS MA12           |  Gradino Costa Retta<br>30x100              | 02   | DPS R101           |  Toro Angolo SX/DX<br>Smaltato 32x100 | 1+1   | DPS TSA10          |  Toro Angolo SX/DX<br>32x100            | 1+1   | DPS TA10           |
|  Gradino Elle<br>30x120x6,5          | 01   | DPS L1265          |  Gradino Costa Retta<br>30x60              | 02  | DPS R61            |  Toro Gradino<br>Smaltato 30x60      | 02   | DPS TS600          |  Toro Gradino<br>30x60                 | 02   | DPS T600           |
|  Angolo Elle SX/DX<br>30x120x6,5     | 1+1  | DPS LA312          |  Angolo Arrotondato<br>Costa Retta 100x100 | 01  | DPS RA101          |  Toro Angolo SX/DX<br>Smaltato 30x60 | 1+1  | DPS TSA60          |  Toro Angolo SX/DX<br>30x60            | 1+1  | DPS TA60           |
|  Gradino Elle<br>30x100x6,5          | 01   | DPS L1065          |  Angolo Arrotondato<br>Toro 100x100        | 01  | DPS TA101          |  Griglia<br>20x60                    | 02   | DPS G260           |                                                                                                                             |                                                                                           |                    |
|  Angolo Elle SX/DX<br>30x100x6,5     | 1+1  | DPS LA10           |  Angolo Arrotondato<br>Costa Retta 60x60   | 01  | DPS RA61           |  Griglia Angolo SX/DX<br>20x60       | 1+1  | DPS GA260          |                                                                                                                             |                                                                                           |                    |
|  Gradino Elle<br>30x60x6,5           | 02   | DPS L6065          |  Angolo Arrotondato<br>Toro 60x60          | 01  | DPS TA61           |  Griglia<br>20x50                    | 02   | DPS G250           |                                                                                                                             |                                                                                           |                    |
|  Angolo Elle SX/DX<br>30x60x6,5      | 1+1  | DPS LA60           |                                                                                                                                 |                                                                                          |                    |  Griglia Angolo SX/DX<br>20x50       | 1+1  | DPS GA250          |                                                                                                                             |                                                                                           |                    |
|  Angolo Elle<br>30x30x6,5            | 02   | DPS LA30           |                                                                                                                                 |                                                                                          |                    |                                                                                                                           |                                                                                           |                    |  3/5 RIGHE ANTIDERAPANT +€ 10,00 / PCS |                                                                                           |                    |

Technical features

| SURFACE       | DIN EN 16165<br>annex B | DIN EN 16165<br>annex A | BS EN 16165<br>annex C | BCR                      | ANSI<br>DCOF | Deep Abrasion<br>Resistance | MOHS | Recommended<br>Use | Resistance<br>to Staining | ANSI A<br>137.1 |
|---------------|-------------------------|-------------------------|------------------------|--------------------------|--------------|-----------------------------|------|--------------------|---------------------------|-----------------|
| Naturale 6 MM | R10                     | A+B                     | -                      | DRY > 0.40<br>WET > 0.40 | WET ≥ 0.42   | <175 mm³                    | ≥ 6  | 4                  | 5                         | V3<br>Deepstone |
| Naturale 9 MM | R10                     | A+B                     | >36<br>wet slider 4S   | DRY > 0.40<br>WET > 0.40 | WET ≥ 0.42   | <175 mm³                    | ≥ 6  | 4                  | 5                         |                 |
| Antislip      | R11                     | A+B+C                   | >36<br>wet slider 4S   | DRY > 0.40<br>WET > 0.40 | WET ≥ 0.42   | <175 mm³                    | ≥ 7  | 5                  | 5                         |                 |
| 20 MM         | R11                     | A+B+C                   | >36<br>wet slider 4S   | DRY > 0.40<br>WET > 0.40 | WET ≥ 0.42   | <130 mm³                    | ≥ 8  | 5                  | 5                         |                 |



Naturale 6 MM



Naturale 9 MM



Antislip



20 MM

Utilizzare il QR CODE per scaricare le schede tecniche  
Use the QR CODE to download data sheets  
Veuillez utiliser le QR CODE pour télécharger les fiches techniques  
QR CODE benutzen um die technische datenblätter runter zu laden

DEEPSTONE

6 settimane di consegna  
6 delivery weeks  
6 wochen lieferzeit  
6 semaines de livraison







# QUANTUM

TILES. STONE. CORK.

Improving life's spaces.

0800 525 585  
hello@qcg.co.nz

Palmerston North Design Studio  
20 Kaimanawa Street, Kelvin Grove

Auckland Design Studio  
497 Great South Road, Penrose

[www.qcg.nz](http://www.qcg.nz)

